AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (Original) A compound corresponding to the formula:

$$(RO)_{2-t}R^{1}_{t}P(O)-O_{x}-(CH_{2})_{y}-S_{z}-(CH_{2})_{y}-O_{x}-P(O)(OR)_{2-t}R^{1}_{2}$$
 (I)

in which:

- R represents a hydrogen, an alkyl, an aryl, a trialkylsilyl, a trialkylamino or an alkali metal;
- R¹ represents an alkyl or an aryl;
- x is 0 or 1;
- y is an integer from 1 to 22;
- $z \ge 3$;
- t is 0 or 1.
- 2. (Currently Amended) The compound as claimed in claim 1, characterized in that wherein R is an alkyl radical having from 1 to 6 carbon atoms.

- 3. (Currently Amended) The compound as claimed in claim 1, characterized in that wherein R is trialkylsilyl group R'₃Si- in which the R' substituents represent identical or different alkyl groups having from 1 to 3 carbon atoms.
- 4. (Currently Amended) The compound as claimed in claim 1, characterized in that wherein R is a trialkylamino group R"₃N- in which the R" substituents represent identical or different alkyl groups having from 1 to 5 carbon atoms.
- 5. (Currently Amended) The compound as claimed in claim 1, characterized in that wherein R is an alkali metal chosen from Na and K.
- 6. (Currently Amended) The compound as claimed in claim 1, characterized in that wherein x = 0.
- 7. (Currently Amended) The compound as claimed in claim 6, characterized in that it corresponds corresponding to the formula $(RO)_2P(O)-(CH_2)_y-S_z-(CH_2)_y-P(O)(OR)_2 \text{ (II)}.$
- 8. (Currently Amended) The compound as claimed in claim 6, characterized in that it corresponds corresponding to the formula (RO)R¹P(O)-(CH₂)_y-S_z-(CH₂)_y-P(O)(OR)R' (IV).
- 9. (Currently Amended) The compound as claimed in claim 1, characterized in that wherein x = 1.

- 10. (Currently Amended) The compound as claimed in claim 9, characterized in that it corresponds corresponding to the formula (RO)₂P(O)-O-(CH₂)_y-S_z-(CH₂)_y-O-P(O)(OR)₂ (III).
- 11. (Currently Amended) The compound as claimed in claim 9, characterized in that it corresponds corresponding to the formula

 (RO)R¹P(O)-O-(CH₂)_V-S₂-(CH₂)_V-O-P(O)(OR)R¹ (V).
- 12. (Currently Amended) The compound as claimed in claim 1, characterized in that wherein z is on average equal to 4.
- 13. (Currently Amended) The compound as claimed in claim 1, characterized in that wherein R¹ is an alkyl radical having from 1 to 18 carbon atoms or an aryl radical chosen from the phenyl, benzyl or tolyl radicals.
- 14. (Currently Amended) The compound as claimed in claim 1, characterized in that wherein y is an integer from 2 to 4.
- 15. (Currently Amended) A composite material comprising an elastomeric matrix and an inorganic filler, characterized in that it comprises wherein the material comprises a compound as claimed in claim 1 as a coupling agent.
- 16. (Currently Amended) The material as claimed in claim 15, characterized in that wherein the inorganic filler is an oxide, a hydroxide, a carbonate or a silicoaluminate.

- 17. (Currently Amended) The material as claimed in claim 15, characterized in that wherein the inorganic filler is a metallic material chosen from steels, aluminum and copper.
- 18. (Currently Amended) A process for the preparation of a compound as claimed in claim 7 in which each of the R groups is an alkyl Ra and z = 4, characterized in that wherein:
- during a first stage, the trialkoxyphosphonate P(ORa)₃ (VI) is reacted with the dibromoalkylene dibromoalkane Br-(CH₂)_y-Br (VII) at a temperature of the order of 140°C in order to obtain Br-(CH₂)_y-P(O)(ORa)₂ (VIII),
- during a second stage, the phosphonate Br-(CH₂)_y-P(O)(ORa)₂ (VIII) is reacted with Na₂S₄ under reflux of the methanol in order to obtain the compound (RaO)₂P(O)-(CH₂)_y-S₄-(CH₂)_y-P(O)(ORa)₂ (IIa).
- 19. (Currently Amended) A process for the preparation of a compound as claimed in claim 7 in which each of the R groups is a trialkylsilyl R'₃Si-, characterized in that it consists in comprising reacting the compound (RaO)₂P(O)-(CH₂)_y-S₄-(CH₂)_y-P(O)(ORa)₂ (IIa) with a trialkylsilyl bromide R'₃SiBr in a 1/4 molar ratio in order to obtain the compound (IIb) (R'₃SiO)₂P(O)-(CH₂)_y-S₄-(CH₂)_y-P(O)(OSiR'₃)₂.
- 20. (Currently Amended) A process for the preparation of a compound as claimed in claim 7 in which R is H, characterized in that it consists in comprising hydrolyzing a compound (Ra)₂P(O)-(CH₂)_y-S₄-(CH₂)_y-P(O)(ORa)₂ in which Ra is an alkyl or hydrolyzing or alcoholyzing a compound (R'₃SiO)₂P(O)-(CH₂)_y-S₄-(CH₂)_y-P(O)(OSiR'₃)₂.

Attorney's Docket No. <u>032013-116</u> Application No. Unassigned Page 9

- 21. (Currently Amended) A process for the preparation of a compound as claimed in claim 10 in which R represents H, eharacterized in that wherein:
- during a first stage, P(O)Cl₃ is reacted with HO(CH₂)_yCl in stoichiometric proportions in order to obtain the compound Cl(CH₂)_yOP(O)Cl₂;
- during a second stage, the compound Cl(CH₂)_yOP(O)Cl₂ is hydrolyzed in order to obtain the compound Cl(CH₂)_yOPO₃H₂;
- during a third stage, Cl(CH₂)_yOPO₃H₂ is reacted with Na₂S₄ under reflux of the methanol and then an ion exchange is carried out in order to obtain the compound (HO)₂P(O)-O-(CH₂)_y-S_z-(CH_z)_y-O-P(O)(OH)₂.